Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



KELSEY'S

Hardy American Plants Azaleas, Rhododendrons Specimen Evergreens Carolina Mountain Flowers



The Carolina Hemlock (Tsuga caroliniana)

This grand new species is now universally accepted as the "Queen American Evergreens." Introduced by Highlands Nursery in \$4, it has become known to tree-lovers as the most distinctive and graceful of all conifers which are hardy throughout the Tentire United States.

Its dense, dark foliage, sweeping, semi-pendulous branches, and eventually pyramidal form combine to give a charm not found in any other evergreen known to cultivation. It is much hardier and more adaptable to city atmospheres than its plainer sister, the Canadian Hemlock, and will also thrive in southern latitudes where the latter becomes thin, yellow, and unsightly.

It is the "coming Evergreen" for the finest landscape plantings, either as single specimens or for mass effects and backgrounds. A splendid stock of young plants up to 2 feet is now ready. Also a limited number of specimens 6 to 10 feet, and at Highlands Nursery some grand specimens 16 to 20 feet. Prices, see pages 9 and 22. O

C

Special Notice

PRICES The prices in this Catalog abrogate all previous price-lists or quotations

Address all communications to

HARLAN P. KELSEY

OWNER #

Salem, Mass. Hawthorne Bldg.,

Boxford Nursery: BOXFORD, MASS. Highlands Nursery: PINEOLA, NORTH CAROLINA 3,800 feet elevation

Information

BOXFORD NURSERY (East Boxford P. O.) is located 28 miles north of Boston, at Boxford Station, on the Georgetown Branch, B. & M. R. R. Good automobile roads lead in all directions. Distances from Nursery to Boston, 28 miles; Salem, 14 miles; Lawrence, 11 miles; Haverhill, 9 miles; Newburyport, 10 miles; Manchester, 13 miles; Ipswich, 9 miles; Lowell, 90 miles; Lowell,

Visitors are always welcome, and customers will find pleasure and a distinct advantage in personally inspecting material. Mr. Kelsey will be glad to meet prospective customers at the Nursery by appointment. A visit during Rhododendron, Kalmia, and Azalea blooming season is an event really worth while.

HIGHLANDS NURSERY, Pineola, western North Carolina, is located at 3,800 feet elevation, on the crest of the Blue Ridge Mountains. Here many of our choicest new American plants have been grown and introduced for the first time to cultivation, including Carolina Hemlock, Azalea vaseyi, Rhododendron carolinianum, Lilium grayi, Shortia galacifolia, Robinia kelseyi, and many others. From here also we ship "collected" Rhododendrons and Kalmias in carload lots, of a grade far superiot to Pennsylvania "collected" material. "Collected" Rhododendron catawbiane (true) comes only from our high southern neutrains biense (true) comes only from our high southern mountains

AMERICAN NATIVE PLANTS. Specialties at both Nurseries are Hardy American Plants, which must always be the basis of all successful permanent plantings, and Specimen Evergreens. We have thousands of the choicest conifers up to 20 feet in height, Rhododendrons 4 to 5 feet in diameter; Azaleas in splendid clumps, heavily budded; and Dwarf Evergreens for immediate effect in Rockwork and Borders. We are the first and still the largest growers of American Native Ornamentals.

and still the largest growers of American Native Ornamentals.

EMBARGO ON FOREIGN STOCK. The Federal Horticultural Board has proclaimed a complete embargo on all Foreign Trees and Shrubs and practically all Herbaceous Plants. This means a distinct horticultural advance in America, for Americans must now learn that our Native Trees and Plants are hardier, freer from disease, more permanent, and far more beautiful and "fitting" in our landscapes and home grounds than exotic material. The best exotics can and now will be grown in America for Americans. We are growing them by thousands.

SHIPPING SEASON begins in August for Rhododendrons, Kalmias, Conifers and many herbaceous plants, general stock going out from September to December. Spring shipments usually from March to June.

SHIPPING INSTRUCTIONS should be given, otherwise I use my best judgment, but assume no risk. All shipments travel at consignee's risk and carriers must be held liable for damage in transit.

DELIVERY BY TRUCK. Where the size of order warrants, there are distinct advantages in auto truck delivery for distances up to 30 to 50 miles. Stock arrives quickly and when wanted is delivered fresh on the grounds and saves local trucking and unpacking. Charges are made according to size of truck and distance traveled.

PRICES are made to fit the quality of stock sent out. Discriminating buyers now realize that the greatest value of nursery stock is underground. Frequent transplanting, and handling specimens with adequate, burlaped balls, mean success and quick results. It costs more, but it is the fixed policy of the Boxford Nursery, and "cheap" stock will not be handled or sent out. The best is always the cheapest.

SPECIAL SELECTION. Stock selected by customers at Nursery or specially selected stock ordered by mail or otherwise will be charged at advanced prices to fit the value of stock selected. The prices in this catalogue cover the average good grade as they run in the nursery row.

PACKING CHARGES. At prices printed in this catalogue, Boxing, Baling, or Burlaping is free, except where noted. Where small sizes or deciduous stock is balled and burlaped by special request, a charge is always made to cover cost. See page 24 for Burlaping charges.

TERMS. Cash or satisfactory reference from unknown customers. All accounts are due the first of each month, unless by special arrangement. 5 at 10 rate; 50 at 100 rate; 500 at 1,000 rate.

NON-WARRANTY. No guarantee, express or implied, is made that stock will grow, whether planted by me or otherwise. Having no control over after treatment of plantings or over weather conditions, it is obvious that purchaser must assume all responsibility after stock leaves the Nursery in good condition. However, under certain conditions, I am prepared to guarantee plantings made by me covering a specified period, on an insurance basis. Charges will be made according to risk involved and value of material. Claims for errors must be made on receipt of goods. If there is any mistake or fault on my part it will gladly be rectified.

PLANT NAMES. The botanical (sejentific) names of Trees. Shrubs.

PLANT NAMES. The botanical (scientific) names of Trees, Shrubs, and Woody Vines in this catalogue conform to the 1917 Official Code of Standardized Plant Names, adopted and published by The American Joint Committee on Horticultural Nomenclature, as first princed in L. H. Bailey's "Standard Cyclopedia of American Horticulture," Vol. VI, 1017. 1917.

DESCRIPTIVE CATALOGS, illustrated, are mailed on request, and advice on the right way to grow Rhododendrons, Azaleas, and other native plants is gladly given.

LANDSCAPE FORESTRY. Evergreen seedlings and transplants in arge quantities are grown at both nurseries in the choicest species. We do Landscape Forestry, treating woodlands from a landscape standpoint as well as for commercial uses. Mr. Kelsey is open for consultations and engagements. Always address,

HARLAN P. KELSEY, Owner

Office, 209a Washington St. Telephone Connections

Salem, Mass.

CATALOG OF BOXFORD NURSERY



Abies fraseri

Prices at Boxford Nursery

NOTE: All stock transplanted and nursery-grown unless marked therwise. "S."—Seedlings. "Col."—Collected.

The larger sizes of Evergreens are always shipped with balls, and burlaped.

The prices in this list cover the average good grade as they run in the nursery row. Where specimens are picked, a price will be made to fit the specimen.

Evergreen Trees and Shrubs

Write for special prices on young seedlings and transplanted Evergreens by the thousand, such as White and other Pines, Firs, Spruces, etc.

		Each	10	100
Abies arizor	ica. Silver Cork Fir. 6 to 7 ft	.\$10 00		
	8 to 10 ft			
concolor.	WHITE FIR. 6 to 9 in. \$180 per 1,000	40	\$2 40	\$20 00
	9 to 12 in\$300 per 1,000	60	4 00	36 00
	12 to 18 in	1 00	8 00	$70 \ 00$
	18 to 24 in	2 00	18 00	
	2 to 3 ft	3 25	30 00	
	3 to 4 ft	4 50		
	4 to 5 ft	7 00		
	5 to 16 ft, specimens \$8 to	125 00		

grown wi so highly.

CATALOG OF BOXFORD NURSERY

EVERGREEN TREES AND SHRUBS, continued

Abies fraseri, continued Each 10 9 to 12 in	100 0 \$16 00
12 to 18 in	0 24 00
2 to 3 ft	0 200 00
	0 300 00
5 to 6 ft. 5 00 40 0 6 to 8 ft. 7 00 64 0	0 360 00 0 600 00
8- to 16-ft. specimens\$8 to 40 00	0 000 00
nomolepis. 12 to 18 in 1 75 16 0	
18 to 24 in	
4- to 8-ft. specimens	
homolepis (brachyphylla). 3- to 9-ft. specimens	
homolepis umbellata.	
6- to 12-ft. specimens\$12 to 25 00 pectinata. 12 to 18 in	
veitchi. 9 to 12 in	0
$egin{array}{cccccccccccccccccccccccccccccccccccc$	
3 to 4 ft 8 00 5- to 16-ft. specimens	
Andromeda polifolia. 6 to 12 in	0 40 00
floribunda. See Pieris floribunda. Arctostaphylos uva-ursi. Bearberry. 2-yr. pots. 80 7 6	60 00
Callung humosa Hearing 6 to 0 in 75 6 0	0
vulgaris. 9 to 12 in	
Chamæcyparis (Retinispora) obtusa. 6 to 9 in 50 4 0	00 30 00
9 to 12 in	
obtusa nana. 9 to 12 m	,0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
pisifera. 3 to 4 ft	
10 3 10 5 10 6 10 10 10 10 10 10	
12 to 18 in	00
Cryptomeria japonica lobbi. 18 to 24 in	
Daphne cneorum. 6 to 9 in	0 40 00
	10
Erica carnea. Heath. 6 to 9 in. 75 6 of Rev. Ilex crenata. Japanese Holly. 6 to 12 in. 1 00 8 of Rev. 12 to 18 in. 1 75 1 75	
12 to 18 in	
18 to 24 in	00 - 50 00
Juniperus chinensis pfitzeriana. 9 to 12 in	
1 to 2 ft	
2 to 3 ft 3 50 32 0	
2 to 3 ft	
2 to 3 ft	
2 to 3 ft 3 50 32 0 3 to 4 ft 6 00 chinensis procumbens. 2 to 3 ft 1 75 communis aurea. 2 to 3 ft 3 50 3 to 4 ft 4 50	
2 to 3 ft. 3 50 32 0 3 to 4 ft. 6 00 chinensis procumbens. 2 to 3 ft. 1 75 communis aurea. 2 to 3 ft. 3 50 3 to 4 ft. 4 50 4 to 5 ft. 6 00	
2 to 3 ft. 3 50 32 0 3 to 4 ft. 6 00 chinensis procumbens. 2 to 3 ft. 1 75 communis aurea. 2 to 3 ft. 3 50 3 to 4 ft. 4 50 4 to 5 ft. 6 00	
2 to 3 ft. 3 50 32 0 3 to 4 ft. 6 00 chinensis procumbens. 2 to 3 ft. 1 75 communis aurea. 2 to 3 ft. 3 50 3 to 4 ft. 4 50 4 to 5 ft. 6 00	
2 to 3 tt	te form of velly hill- n reach a ner shrubs
2 to 3 ft	te form of velly hill- n reach a ner shrubs
2 to 3 ft	te form of velly hill- n reach a ner shrubs
2 to 3 tt	te form of velly hill- n reach a her shrubs r, than in te type to 100 0 550 00
2 to 3 tt	te form of velly hill- n reach a her shrubs r, than in te type to 100 0 \$50 00 00 180 00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	te form of velly hill- n reach a her shrubs r, than in te type to 100 0 550 00
2 to 3 ft	te form of velly hill- n reach a ner shrubs r, than in te type to 100 0 \$50 00 00 180 00 00 300 00
2 to 3 ft	te form of velly hill- n reach a ner shrubs r, than in te type to 100 0 \$50 00 00 180 00 00 300 00
2 to 3 ft	te form of velly hill-n reach a rer shrubs r, than in te type to 100 00 00 00 00 420 00 00 00 00 00 00 00 00 00 00 00 00 0
2 to 3 ft	te form of velly hill-n reach a rer shrubs r, than in te type to 100 00 00 00 00 420 00 00 00 00 00 00 00 00 00 00 00 00 0
2 to 3 ft	te form of velly hill-n reach a reshrubs r, than in te type to 100 850 00 00 300 00 00 420 00
2 to 3 ft	te form of velly hill-n reach a ter shrubs, r, than in te type to 100 00 \$50 00 00 180 00 00 420 00 00 00 00 00 00 00 00 00 00 00 00 0
2 to 3 tt	te form of velly hill-n reach a ter shrubs, r, than in te type to 100 00 00 00 00 420 00 00 00 00 00 00 00 00 00 00 00 00 0
2 to 3 ft	te form of velly hill-n reach a ter shrubs r, than in te type to 100 00 00 00 00 420 00 00 00 00 00 00 00 00 00 00 00 00 0
2 to 3 ft	te form of velly hill-n reach a ser shrubs r, than in te type to 100 s 550 00 00 300 00 00 420 00 00 00 00 00 00 00 00 00 00 00 00 0
2 to 3 ft	te form of velly hill-n reach a ter shrubs, r, than in te type to 100 to 550 00 to 100
2 to 3 ft	te form of velly hill-n reach a ser shrubs r, than in te type to 100 00 350 00 00 380 00 00 420 00 00 00 00 00 00 00 00 00 00 00 00 0
2 to 3 ft	te form of velly hill-n reach a her shrubs r, than in te type to 100 850 00 100 850 00 00 420 00 00 00 00 00 00 00 00 00 00 00 00 0
2 to 3 ft	te form of velly hill-n reach a ter shrubs r, than in te type to 100 00 00 180 00 00 180 00 00 420 00 00 00 00 00 00 00 00 00 00 00 00 0
2 to 3 ft	te form of velly hill- n reach a ter shrubs r, than in te type to 100 150 00 100 150 00 100 100 100 100 1
2 to 3 ft	te form of velly hill- n reach a ter shrubs r, than in te type to 100 150 00 100 150 00 100 100 100 100 1
2 to 3 ft	te form of velly hill-n reach a ser shrubs, r, than in te type to 100 0 550 00 00 100 100 00 00 00 00 00 00 00 00
2 to 3 ft	te form of velly hill- n reach a reach a reach a reach as r, than in te type to 100 s50 00 00 00 420 00 00 420 00 00 00 00 00 00 00 00 00 00 00 00 0

CATALOG OF BOXFORD NURSERY

EVERGREEN TREES AND SHRUBS, continued
Juniperus virginiana, continued Each 10
4 to 5 ft. \$3 50 \$30 00 5 to 6 ft. 5 00 40 00
6 to 7 ft
8 to 9 ft
9 to 10 ft
10 to 12 ft
14 to 16 ft
virginiana cannarti. 12 to 18 in
virginiana elegantissima. 4 to 5 ft
\$ to 6 ft.
2 to 3 ft
4 to 5 ft
1
virginiana globosa. DWARF JUNIPER, 18 to 24 in 2 00 18 00
2 to 3 ft
3 to 4 ft
latifolia. The Mountain Laurel. One of the grandest of our native, broad-leaved, evergreen shrubs, attaining tree-like proportions in our southern mountains. In cultivation it is a broad, thick shrub, and, when in full bloom, of surpassing beauty. The wheel-shaped flowers in close terminal corymbs, pure white to pink, appear in May or June in such profusion as almost to smother the foliage. Its thick, ships logge conscious the vegrations make it a shrub of greatest.
broad-leaved, evergreen shrubs, attaining tree-like proportions in
when in full bloom, of surpassing beauty. The wheel-shaped flowers
in close terminal corymbs, pure white to pink, appear in May or
shiny leaves, conspicuous the year round, make it a shrub of greatest
value for massing. The hardiness of Kalmia latifolia is beyond
abundance through New England and the middle Atlantic states
(particularly in the higher altitudes), till the crest of the southern
leaved ericaceæ and perfect conditions of soil and climate are found,
June in such profusion as almost to smother the foliage. Its thick, shiny leaves, conspicuous the year round, make it a shrub of greatest value for massing. The hardiness of Kalmia latifolia is beyond doubt, it being found sparingly in News Scotia and increasingly in abundance through New England and the middle Atlantic states (particularly in the higher altitudes), till the crest of the southern Alleghanies is reached. Here the true American home of the broadleaved cricacee and perfect conditions of soil and climate are found, producing such luxuriance of growth as to form veritable jungles of gorgeous beauty, miles in extent. It is found throughout South Carolina, Georgia, and northern Florida, along the banks of streams and cypress swamps. This proves it to be a plant that will stand almost semi-tropical conditions as well as extreme cold. It is therefore extremely valuable for the southern states, taking its place with
Carolina, Georgia, and northern Florida, along the banks of streams
and cypress swamps. This proves it to be a plant that will stand
fore extremely valuable for the southern states, taking its place with
fore extremely valuable for the southern states, taking its place with the magnificent Indian Azaleas, which are not hardy in the North. For prices of "collected" Kalmia clumps by the carload see page 24.
Each 10 100
9 to 12 in., clumps. \$1 25 \$10 00 \$90 00 12 to 18 in., clumps. 1 75 16 00 144 00 18 to 24 in., clumps. 3 00 28 00 240 00 2 to 3 ft., clumps. 4 00 36 00 340 00 3 to 4 ft., clumps. 5 50 50 00 Leiophyllum buxifolium. Sand Myrtle. 2- to 4-in. spread. 30 2 40
18 to 24 in., clumps
2 to 3 ft., clumps 4 00 36 00 340 00 3 to 4 ft. clumps 5 50 50 00
Leiophyllum buxifolium. SAND MYRTLE.
2- to 4-in. spread
9- to 12-in. spread. 50 4 00 12- to 18-in. spread. 65 6 00 prostratum. Mountain Heath.
prostratum. MOUNTAIN HEATH. 3- to 6-in, spread
3- to 6-in. spread
broad-leaved sort have the grace of this one. The thick, shining green leaves are evenly disposed on long, recurved branches, with
dense racemes of beautiful, white, bell-shaped flowers. As an under-
shrub or for banks and the borders of streams it is without a rival. As an edging and "finish" for the "Rhododendron bed" it is indis-
pensable, and should be used freely for best effect. The sprays make
fall where exposed to the sun. My stock of this broad-leaved border
beautiful winter decorations indoors, turning a rich bronze in the fall where exposed to the sun. My stock of this broad-leaved border plant comprises thousands of specimens in all sizes up to 2½ feet in diameter. Each 10 100
12 to 18 in., clumps
18 to 24 in., clumps
Pachistima canbyi. 3 to 6 in
ricea alcockiana. Alcock Spruce. 5 to 4 it 4 uu
4 to 5 ft 5 00
canadensis (alba). White Spruce. 3 to 4 ft 2 50 22 00 4 to 5 ft 3 50 32 00
5 to 6 ft 5 00 44 00
6 to 7 ft
8 to 9 ft
9 to 10 ft
12 to 14 ft
14 to 15 ft
9 to 12 in 50 4 00 30 00
excelsa. Norway Spruce. 2 to 3 ft
3 to 4 ft
5

KELSEY'S Hardy American Plants Rhododendrons and Azaleas CATALOG OF BOXFORD NURSERY

EVERGREEN TREES AND SHRUBS, continued

EVERGREEN TREES AND SHRUBS, continued	
Picea orientalis. Oriental Spruce. 3 to 4 ft \$6 00	100
pungens. Green Colorado Spruce. 9 to 12 in. 75 \$6 00	\$50 00
12 to 18 in	70 00
2 to 3 ft	
3 to 4 ft	
4 to 5 ft	
6 to 7 ft	
pungens kosteri. Koster's Blue Sprice	
12 to 18 in 3 00 28 00	
18 to 24 in	
2 to 3 ft	
4 to 5 ft · 15 00 140 00	
5 to 6 ft	
7 to 6 ft. 22 00 180 00 6 to 7 ft. 25 00 23 00 7 to 8 ft. 20 00 180 00 7 to 8 ft. 20 00 18 00 8 00 8 00 8 00 8 00 8 00 8	
rubra. Red Spruce. 3 to 4 ft	
5 to 6 ft. 5 00 Pieris (Andromeda) floribunda. Andromeda. One of the choi	cest of
American broad-leaved evergreen dwari shrubs, of greatest	value
with Rhododendron plantings. The foliage and flower-buds a attractive throughout the fall and winter season, and in early	spring
a mass of white flowers cover the plant. A specialty at F	Roxford
Nursery where a beautiful stock of specimens are ready for shi	pment.
Each 10 12 to 18 in., clumps	100
18 to 24 in., clumps	236 00
2 to 3 ft., clumps	
japonica. Japanese Fetter Bush. 6 to 9 in. 1 25 12 00 9 to 12 in	
Pinus aristata. FOXTAIL PINE. 18 to 24 in 3 50	
banksiana (divaricata). Jack Pine. Remark-	
ably rapid grower and easy to transplant. A	
good ornamental and very useful for reclaiming "abandoned" or poor soils. 1 to 2 ft 50 3 00 2 to 3 ft 60 4 00	20 00
2 to 3 ft	30 00
3 to 4 ft	$\frac{40\ 00}{120\ 00}$
6 to 8 ft 4 00 36 00	00
8 to 10 ft	
10 to 12 ft	
14 to 16 ft	
A special low price will be made on <i>Pinus banksiana</i> in thousand lots. cembra. Swiss Stone Pine. 9 to 12 in 1 25 11 00 12 to 18 in	
cembra. Swiss Stone Pine. 9 to 12 in 1 25 11 00	100 00
12 to 18 in 2 00 18 00	176 00
18 to 24 in	200 00
3 to 4 ft 6 00 56 00	
4 to 5 ft	
18 to 24 in	
insects, and one of the coming Pines for land-	
insects, and one of the coming Pines for land- scape work and woodlands. A fine stock. 12 to 18 in	40 00
12 to 18 in	60 00
2 to 3 ft 1 50 12 00	90 00
3 to 4 1t 2 50 20 00	180 00 250 00
5 to 6 ft 5 00 44 00	350 00
6 to 8 ft	550 00
flexilis. Limber Pine. Of the "White Pine section" from the Rocky Mountains. Pictur-	
flexilis. Limber Pine. Of the "White Pine section" from the Rocky Mountains. Picturesque dwarf habit, silver foliage, and especially choice for the rocky hillside. 6 to 9 in 30 2 60	
ially choice for the rocky hillside. 6 to 9 in 30 2 60 9 to 12 in 50 4 00	18 00 30 00
9 to 12 in	44 00
18 to 24 in 1 00 8 00	60 00
2 to 3 ft	150 00
3 to 4 ft	
5 to 6 ft	80 00
18 to 24 in 2 00 18 00	160 00
	300 00
montana muchus. Mugho Pine The most useful dwarf P	ine for
rockeries, ground-cover, and positions where a low-spreadin	g dark
3 to 4 ft	cimens
not be too highly recommended. Each 10	100
6- to 9-in. Seedlings \$60 per 1,000 \$1 00	\$8 00
not be too highly recommended. 6- to 9-in. Seedlings . \$60 per 1,000 . \$1 00 6- to 12-in. spread . \$280 per 1,000 . \$0 50 4 00 12- to 18-in. spread . \$600 per 1,000 . \$1 25 10 00 18- to 24-in. spread . \$000 per 1,000 . \$0 50 4 00	30 00 80 00
18- to 24-in. spread	150 00
2- to 3-ft. spread 4 00 36 00	300 00 550 00
	550 00
6	

6

KELSEY'S HARDY SPECIMEN

CATALOG OF BOXFORD NURSERY

EVERGREEN TREES AND SHRUBS, con	tinued	
Pinus nigra austriaca. Austrian Pine. Each 18 to 24 in. \$1 00 2 to 3 ft. 1 75 3 to 4 ft. 3 00 4 to 5 ft. 4 50 ponderosa. BULL Pine. 1 to 2 ft. 1,000, \$350. 1 00 2 to 3 ft. 2 00 3 to 4 ft. 4 00 4 to 5 ft. 6 00 5 to 6 ft. 8 00 6 to 8 ft. 10 00	10 \$8 00 16 00 28 00 40 00 6 00 18 00 36 00 50 00 70 00 90 00	100 \$76 00 130 00 250 00 48 00 150 00
pungens. Table Mountain Pine. 6 to 8 ft	36 00 50 00 80 00	30.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	4 00 8 00 16 00 20 00 36 00 50 00 70 00	30 00 70 00 140 00 180 00 320 00 400 00
rigida. PITCH PINE. 5 to 6 ft. 4 00 6 to 8 ft. 6 00 6 00 8 to 10 ft. 10 00 10 to 12 ft. 12 50 strobus. White PINE. Special prices will be made	36 00 50 00 80 00	300 00 450 00
to those wishing large quantities for forestry purposes and in car-lots. 2 to 3 ft	6 00 10 00 24 00 50 00 80 00	50 00 80 00 200 00 400 00
sylvestris. Scotch Pine. 2 to 3 ft. 1 25 3 to 4 ft. 2 00 4 to 6 ft. 4 00 6 to 8 ft. 6 00 8 to 10 ft. 10 00 10 to 12 ft. 12 50	$\begin{array}{c} 10 \ 00 \\ 18 \ 00 \\ 36 \ 00 \\ 50 \ 00 \\ 90 \ 00 \\ 116 \ 00 \end{array}$	80 00 320 00 450 00
12 to 14 ft	3 00 5 00 10 00 3 00	20 00 40 00 90 00 20 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	4 00 6 00 10 00 16 00 24 00	30 00 44 00 90 00 140 00 220 00
4 to 5 ft	32 00 44 00 64 00 76 00 96 00	
2 to 3 ft		. ,

catawbiense. Of the Carolina mountains. The hardiest of all Rhododendrons. It was this magnificent Rhododendron that over a hundred years ago was introduced into Europe, supplying, together with Rhododendron maximum, color and hardy blood to the cultivated "hybrids," but with a consequent loss of hardiness; and so today, for American gardens, where ironclad hardiness is essential, we must turn to the true original species, found on the loftiest, coldest peaks of the southern Alleghanies, where it attains a height of 20 to 30 feet. Considering the extreme hardiness, color of flower, compact growth, and remarkable texture of foliage, which is a deep, shining green, and far superior to the better-known Rhododendron maximum, we can recommend the true native Catawbiense as the finest for general use, withstanding exposure and extremes of temperature where other Rhododendrons fail. Unlike Rhododendron maximum, it is a very free bloomer, with foliage of a dark, rich, lasting green, which never rusts. The trusses are a bright red-purple (in marked contrast to the muddy purple of the semi-hardy, half-breed imported variety), and as sent out by Highlands Nursery is always on its

CATALOG OF BOXFORD NURSERY



The true Rhododendron catawbiense

EVERGREEN TREES AN	ND SH	IRUB	S, co	ntin	ued		
Rhododendron catawbiense, contin	ued		•			100	
own roots. For massing to pro	duce a	broad-	leave	d eve	rgre	en la	nd-
scape effect, there is no plant	equal	to it i	in the	e lat	itude	e of	the
northern United States and C	anada.	where	stric	tlv l	ard	v pla	nts
must be employed.	,		Each		0	10	
9 to 12 in., clumps			\$1 25	\$12	00	\$100	00
12 to 18 in., clumps			1 75	16		150	
18 to 24 in., clumps			2 75	26	00	220	00
2 to 3 ft., clumps			4 00	38	00	350	00
3 to 4 ft., clumps			6 00	56	00	540	00
4 to 5 ft., clumps			9 00	86	00		
5 to 6 ft., clumps			$12 \ 50$				
catawbiense hybrids. 12 to 18 in.			2 50	24	00	220	00
18 to 24 in			3 50	34	00	320	00
24 to 30 in			5 00	48	00		
The following varieties in stock:							
Abraham Lincoln	glorios	um					
album elegans	glorios	um alt	oum				
Boule de Neige	Hanni						
candidissimum	Н. Н.						
caractacus	H. W.						
catawbiense album •	Ignativ		gent				
Charles Bagley	Kettle						
Charles Bagshot	Lady (
Charles Dickens	maxim				ed.		
Charles S. Sargent	Mrs. C		argent	;			
C. S. Rand	Mrs. M						
delicatissimum	Old Po						
elegans	Parson	s' glor	10sum				
E. S. Rand	Parson						
everestianum	purpur			3			
F. D. Godman	roseum						
giganteum	roseum			***	00		
lætevirens (wilsonianum). 12 to							
18 to 24 in					00		
2 to 2½ ft			60		00	40	00
maximum. White. 12 to 18 in					00		00
18 to 24 in 2 to 3 ft					00	70	UU
18 to 24 in., clumps					00		
2 to 3 ft., clumps			2 00		00		
3 to 4 ft., clumps			4 50	40			
4 to 5 ft., clumps			8 00	40	00		
myrtifolium. 12 to 18 in			2 50	22	50		
18 to 24 in					50		
Taxus baccata repandens. 2 to 3 ft.			4 00	31	50		
3 to 4 ft							
canadensis. Canadian Yew. 6 to			75	7	00	60	00
9 to 12 in					00		00

CATALOG OF BOXFORD NURSERY

· EVI	ERGREEN	TREES	AND	SHRUB	s,	COI	ntin	ued	
					Ea	ch	1	0	100
Taxus cusp	oidata (capi	tata). 9 t	o 12 in.				\$9		
cuspidata	a brevifolia.								
	12 to 18 in.								
	18 to 24 in.				3	50			
Thuja occid						1.5	- 1	00	87 00
	6 to 9 in 9 to 12 in					$\frac{15}{20}$		00 60	\$7 00 10 00
	12 to 18 in.					$\frac{20}{40}$		00	24 00
	18 to 24 in.					60		40	36 00
	2 to 3 ft					00	7		50 00
	3 to 4 ft					50	14		$120 \ 00$
	4 to 5 ft					50	20		$180 \ 00$
	5 to 6 ft					50 50	30 40		
	6 to 8 ft 8 to 9 ft					00	40	00	
accidenta	lis aurea.	COLDEN A	DDODXII	3 80	U	00			
occiueli ta	4 to 5 ft	COLDEN A.	TOOL ALI	24.94	3	00			
	5 to 6 ft						36	00	
	6 to 7 ft					00			
	lis pyramic								
VITÆ.	12 to 18 in.					75		00	50 00
	18 to 24 in.					00		00	70 00
	2 to 3 ft					50	14		120 00
•	3 to 4 ft 4 to 5 ft					25 50	$\frac{20}{32}$		180 00
	5 to 6 ft					00	44		
	6 to 7 ft					00	60		
	7 to 8 ft					00			
occidenta	lis wareana				3	00	28	00	
	3 to 4 ft				4	00	36	00	
orientalis	aurea cons	spicua. 1	8 to 24	in	2	00	18	00	
orientalis	elegantissi	ma. 18 t	o 24 in.			25	10		
	2 to 3 ft					50	22		
	3 to 4 ft				4		38		
m	4 to 5 ft					00	56		00.00
Tsuga cana						35		00	28 00
	9 to 12 in					50 00		40	40 00 86 00
	12 to 18 in. 18 to 24 in.					50	14		132 00
	2 to 3 ft					00	18		176 00
	3 to 4 ft				3	00	28		260 00
	4 to 5 ft				4	50	42		400 00
	5 to 6 ft						60		576 00
	6 to 7 ft					50	80		760 00
	7 to 8 ft				12	00	112	00	
	8 to 10 ft 10 to 12 ft.						140	00	
carolinia	na. CAROLII					00			
tion a	nd illustratio	on of this fi	inest of	American	ı				
	ers, see front								
	6 to 9 in		\$476 pe	r 1,000		60		60	50 00
	9 to 12 in							00	80 00
	12 to 18 in.					50		00	132 00
	18 to 20 in.	retuo one		820 t-	2		20	00	
sichold:	6 to 9 ft., e								
sieboldi.	3 to 4 ft 5 to 6 ft								
	0 10 0 11				0	50			
W .	1	/TIS			16	-	7 1		1

Deciduous Trees and Shrubs

Deci	auo	us	Ire	ees	an	a	7	ÐΠ	r	uD.	5
Acer dasyca						Ea		1	0	100)
ginnala.											
								24			
									00	0.150	
platanoid										\$176	
							00	24		224	00
	12 to 14	l It				. Э	00	44	00	420	00
				3½-in.			00	110	00		
								110			
rubrum.				4 ft			50		00		
							75		00		
									00		
							00	16			
							00	26	UU		
saecharin						. 12	50				
saccharin											
saccharu	m. Sug.	AR MAP	PLE, 2	to 3 ft			40		60		00
							60		40		00
							75		00	48	
							25		00	88	00
	8 to 10	ft				. 2	00	18	00		
spicatum											
				.\$60 per					00		00
				\$80 per			20	1		10	00
	2 to 3 f	t. Seedl:	$ings \dots$				25	2	00		

CATALOG OF BOXFORD NURSERY

DECIDUOUS	TREES	AND	SHRUBS,	continued
------------------	-------	-----	---------	-----------

timueu	
10	100
\$4 00	
6 00	
8 00	
4 00	
1 20	\$10 00
5 00	40 00
8 00	60 00
2 00	18 00
3 00	24 00
5 00	40 00
7 20	60 00
8 00	72 00
4 00	36 00
	\$\frac{4}{00}\$ 6 00 8 00 4 00 1 20 5 00 8 00 2 00 3 00 5 00 7 20 8 00

Hardy American Azaleas

The American Azaleas are among the choicest of all ornamentals, whether exotic or native, and were but rarely seen in cultivation before being disseminated by Highlands Nursery.

They are seen at their best when planted in large masses and in properly prepared beds, and they richly repay any unusual care given them. Like most ericaceous plants, they love deep, moist, well-drained soil, and these showy native species are particularly adapted to planting in shrub borders and with Rhododendrons, their brilliant blossoms being set off by a background of dark foliage. Azaleas can be successfully grown almost anywhere, following same instructions given for Rhododendrons. The complete hardiness of all the species we offer is unquestionable. No American shrubs equal the native Azaleas, particularly Azalea lulea, for woodland and hillside plantings.

Our cold Carolina mountains have added no more beautiful plants to gardens than these American Azaleas, not even excepting the magnificent broad-leaved evergreen Rhododendrons of world-wide fame.

broad-leaved evergreen Rhododendrons of world-wide fame.

Azalea arborescens. Fragrant White Rowers, with pink stamens, appear in profusion, lasting for weeks. Becomes a spreading clump 3 to 6 feet broad in cultivation; easy culture. The foliage of this variety often colors striking shades of red in late autumn, and is the best of all the genus. The clumps offered have from twenty-five to one hundred stems and are heavily budded with enormous balls.

Each 10 100

12 to 18 in., clumps. 81 75 \$16 00 \$140 00

18 to 24 in., clumps. 3 00 28 00 260 00

2 to 3 ft., clumps. 4 50 42 00 400 00

3 to 4 ft., clumps. 7 00 64 00 600 00

gandavensis. Ghent Azalea. 12 to 18 in. 1 50 14 00

1 to 2 to 3 ft... 3 00 24 00

lutea (calendulacea). Great Flame Azalea. 6 to 15 ft. The most

lutea (calendulacea). ed, a special charge Each 10 100

to deep red. Where the colors are picked, a will be made. Each 12 to 18 in., clumps. \$1 00 18 to 24 in., clumps. 2 00 2 to 3 ft., clumps. 3 00 3 to 4 ft., clumps. 5 00 4 to 5 ft., clumps. 8 00 \$9 00 18 00 28 00 \$80 00 172 00 260 00 18 to 24 in... 2 to 3 ft... .. PINXTER FLOWER. 2 00 3 00 18 00 28 00 mollis. nudiflora.

18 to 24 in., clumps.
2 to 3 ft., clumps.
3 to 4 ft., clumps. $\frac{2}{3} \frac{00}{00}$ 18 00 36 00

vaseyi.

KELSEY'S HARDY SPECIMENS EVERGREENS CATALOG OF BOXFORD NURSERY



Azalea arborescens

DECIDUOUS TREES AND SHRUBS, continued

Azalea viscosa. Early White Azalea. Each	10	100
12 to 18 in., clumps\$1 00	\$8 00	\$72 00
18 to 24 in., clumps 1 75		140 00
2 to 3 ft., clumps 3 00		260 00
3 to 4 ft., clumps 4 00		
4 to 5 ft., clumps, very heavy 6 00		
5 to 6 ft., clumps, very heavy10 00		
yodogawa. 12 to 18 in	24 00	
Azalea, Aronia and Clethra (growing together).		
2 to 5 ft., clumps, very heavy\$3 to 6 00)	
Berberis canadensis. American Barberry.		
1 to 2 ft 50		
regelianum. 18 to 24 in		
2 to 3 ft 1 00		
sieboldi. 1 to 2 ft		24 00
2 to 3 ft		32 00
sinensis. 18 to 24 in		
thunbergi. Japanese Barberry. 12 to 18 in 40		28 00
18 to 24 in		40 00
thunbergi var. Box-Barberry. New. 9 to 12 in. 1 50		
thunbergi maximowiczi. 18 to 24 in 60	4 80	
vulgaris. Common Barberry.		4 00
6 to 12 in. Seedlings		4 00
6 to 12 in\$80 per 1,000		12 00
1 to 2 ft 38	5 2 40	20 00
Betula alba. EUROPEAN WHITE BIRCH.		
10 to 20 ft\$2 to 10 00)	
alba laciniata. European Cut-leaved Birch.	`	
7 to 8 ft 1 50		
lenta. Black Birch. 1 to 2 ft		
2 to 3 ft		
nigra (rubra). River Birch. 6 to 8 ft		80 00
8 to 10 ft		160 00
populifolia. Gray Birch. 7 to 8 ft		100 00
12 to 14 ft 3 00		
Buddleia veitchiana. 2 to 3 ft		48 00
Calycanthus floridus. Sweet Shrub. 1 to 2 ft 40		10 00
Caragana arborescens. Pea Tree. 3 to 4 ft 60		
arborescens cuneifolia. 1 to 2 ft		
Carpinus caroliniana. Water Beech. 4 to 6 ft. 75		48 00
6 to 8 ft		80 00
8 to 10 ft		00 00
10 to 12 ft 4 00		
Castanea pumila. CHINKAPIN. 1 to 2 ft 50		
2 to 3 ft		
3 to 4 ft		
0 00 1 100 100	, , ,	

CATALOG OF BOXFORD NURSERY

DECIDUOUS TREES AND SHRUBS	S, con	tinued	
Catalna speciosa. 6 to 8 ft	Each	10 \$6 00	100
Catalpa speciosa. 6 to 8 ft	φ1 00 95		
1 to 2 ft		2 80	
2 to 3 ft	60 80	$\frac{4}{7} \frac{00}{20}$	
Cercis canadensis. Red-Bud. 4 to 5 ft	75		
Chionanthus virginica. White Fringe. 18 to 24 in	50 1 00	4 00 8 00	
2 to 3 ft 3 to 4 ft., heavy	2 00	18 00	
Clethra acuminata. Mountain Pepper Bush.	40	3 20	
18 to 24 in. 2 to 3 ft	60 80	$\frac{4}{7} \frac{40}{60}$	
alnifolia. Sweet Pepper Bush. 12 to 18 in., clumps	50	4 00	
3 to 4 ft., clumpstomentosa. 6 to 9 in, Seedlings	1 00	$\begin{array}{ccc} 8 & 00 \\ 2 & 80 \end{array}$	
9 to 12 in, Seedlings	. 50	4 00 2 40	
Cornus amomum. Silky Cornel. 1 to 2 ft 2 to 3 ft	50	4 00	
florida rubra. Rep-flowering Dogwood.	. 1 20		
3 to 4 ft	4 00	$\frac{22}{36} \frac{00}{00}$	
4 to 5 ft		56 00 76 00	
6 to 7 ft	12 00		
mas. Cornelian Cherry. 6 to 7 ft	2 00	3 00	
2 to 3 ft	50	4 00 4 00	
5 to 6 ft 6 to 7 ft kousa. Japanese Dogwood. 4 to 5 ft mas. Cornellan Cherry. 6 to 7 ft paniculata (racemosa). 1 to 2 ft 2 to 3 ft rugosa (circinata). 2 to 3 ft stolonifera. Red Osier Cornel. 1 to 2 ft 2 to 3 ft	. 60	3 60	
stolonifera aurea. Yellow Osier Cornel.		4 00	
1 to 2 it 2 to 3 ft	60	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	\$32 00
3 to 4 ft	. 1 00	$\begin{array}{c} 8 & 00 \\ 16 & 00 \end{array}$	
Corylus americana. HAZELNUT. 1 to 2 ft	. 35 . 50	3 20 4 00	
rostrata. Bear Hazelnut. 1 to 2 ft	. 35	3 20 4 00	
2 to 3 ft 3 to 4 ft	. 50	6 00	•
horizontalis (davidiana). 9 to 12 in	. 1 25 . 1 50 . 2 00	$10 00 \\ 14 00$	
3 to 4 ft. 4 to 5 ft. Corylus americana. Hazelnut. 1 to 2 ft 2 to 3 ft. rostrata. Beaked Hazelnut. 1 to 2 ft 2 to 3 ft. 3 to 4 ft. Cotoneaster francheti. 1½ to 2½ ft horizontalis (davidiana). 9 to 12 in 12 to 18 in. Cratægus arkansana. 6 to 12 in. Seedlings arnoldiana. 6 to 12 in. 2 to 3 ft crus-galli. Cockspur Thorn. 3 to 4 ft 4 to 6 ft monogyna. 1 to 2 ft prunifolia. 6 to 12 in. Seedlings punctata. 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft	. 2 00	$\begin{array}{ccc} 18 & 00 \\ 2 & 40 \end{array}$	
arnoldiana. 6 to 12 in	. 40	2 40 8 00	
crus-galli. Cockspur Thorn. 3 to 4 ft	. 75 . 1 25	$\begin{array}{ccc} 6 & 00 \\ 10 & 00 \end{array}$	
monogyna. 1 to 2 ft	. 60	4 00 4 00	36 00
prunifolia. 6 to 12 in. Seedlings.	. 40	3 20 4 40	50 00
4 to 5 ft	. 50	6 00	
6 to 7 ft	. 1 25 . 1 75	$\frac{10}{16} \frac{00}{00}$	
6 to 7 ft. rotundifolia (glandulosa). 3 to 4 ft. tomentosa. 12 to 18 in Cydonia japonica. Japan Quince. 18 to 24 in	. 75 . 50	$\begin{array}{ccc} 6 & 00 \\ 4 & 40 \end{array}$	
Cydonia japonica. Japan Quince. 18 to 24 in maulei. 9 to 12 in	. 50	$\frac{4}{3} \frac{00}{60}$	
maulei superba. 1 to 2 ft	. 60 25	4 00 1 80	16 00
1 to 2 ft. Seedlings	. 35	3 20 4 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
maulei. 9 to 12 in maulei superba. 1 to 2 ft. Diervilla rivularis. 6 to 12 in. Seedlings 1 to 2 ft. Seedlings. sessilifolia. Bush Honeysuckle. 1 to 2 ft. 2 to 3 ft. Euonymus alatus. Winged Burning Bush.	. 75	6 00	
2 to 3 ft	. 1 25 . 2 00	10 00	
4 to 5 ft., extra heavy	. 3 50	18 00 32 00	
4 to 5 ft., extra heavy	. 40	3 60 5 00	40 00
		12 00	
4 to 5 ft europæus. BURNING BUSH. 2 to 3 ft 3 to 4 ft latifolius. 6 to 9 in. Seedlings	. 1 75	4 00	
3 to 4 ft	. 80 . 25	1 80	16 00
1 to 2 it	. 50	4 00 12 00	
3 to 4 ft		18 00 6 00	
2 to 3 ft.	. 1 25	10 00	
3 to 4 ftsylvatica. English Beech. 1 to 2 ft	. 1 60	8 00	
2 to 3 ft	. 1 75		

DECIDUOUS TREES AND SHRUB	S, con	tinued	
Forsythia intermedia. Hybrid Golden Bell. 1 to 2 ft	Each \$0.25	10 \$1 80	100
5 to 6 ft 6 to 7 ft 7 to 8 ft suspensa fortunei. Golden Bell. 2 to 3 ft	1 00 1 25	8 00 10 00	
7 to 8 ft 2 to 3 ft	2 00 35	18 00 3 20	
3 to 4 ft		5 00 6 00	
5 to 6 ft	1 00	8 00	
6 to 7 ftsuspensa sieboldi. 1 to 2 ft	1 50	12 00 2 40	
Fraxinus americana. American Ash. 6 to 8 ft	75 75	6 00	\$50 00
8 to 10 ft	2 00	10 00 18 00	80 00
Genista tinctoria. Woadwaxen.		22 00	
6 to 12 in. Seedlings. Gleditsia triacanthos inermis. Honey Locust.	25	1 80	
2 to 3 ft	40 60	3 20 5 00	
3 to 4 ft	1 00	8 00	
		3 20 5 00	
2 to 3 ft	1 00		
Hydrangea arborescens. WILD HYDRANGEA.	2 00		
		1 80 4 00	16 00 36 00
arborescens grandiflora. 12 to 18 inpaniculata. 18 to 24 in. Hypericum aureum. Golden St. John Wort. 1 to 2 ft. Seedlings. 2 to 3 ft. Seedlings.	. 60	4 00	
1 to 2 ft. Seedlings	20 25	$\begin{array}{ccc} 1 & 00 \\ 1 & 60 \end{array}$	$\begin{array}{c} 8 & 00 \\ 12 & 00 \end{array}$
18 to 24 in bucklei. Dwarf. 6 to 9 in. spread densiflorum. 18 to 24 in	50	4 00 4 00	30 00 36 00
densiflorum. 18 to 24 in	35 50	3 00 4 00	24 00
prolificum. 1 to 2 ft	40	3 60 3 60	
prolificum. 1 to 2 ft Ilex monticola. Decenuous Holly. 2 to 3 ft verticillata. Black Alder. 1 to 2 ft 2 to 3 ft	50	4 00	32 00
Larix laricina. American Larch. 5 to 6 it	1 20	6 00	50 00
7 to 8 ft	4 00		
leptolepis (kaempferi). Japanese Larch. 12 to 18 in 18 to 24 in 2 to 3 ft	. 75	6 00	
18 to 24 in 2 to 3 ft	1 00	$\begin{array}{ccc} 8 & 00 \\ 12 & 00 \end{array}$	
3 to 4 ft Leucothoe recurva. 12 to 18 in 18 to 24 in Ligustrum acuminatum. 6 to 12 in. Seedlings.	2 00	3 00	40.00
Ligustrum acuminatum. 6 to 12 in. Seedlings.	. 60	5 00 1 60	$\frac{40}{12} \frac{00}{00}$
amurense. Amoor River Priver. Northern	, 50	3 20	
10rm. 1 to 2 it	. 25	$\begin{array}{ccc} 2 & 00 \\ 3 & 20 \end{array}$	$\frac{18}{24} \frac{00}{00}$
ibota regelianum. Regel Privet. 1 to 2 ft	. 35	$\frac{4}{3} \frac{00}{20}$	
		4 00 8 00	36 00
3 to 4 ft Lonicera chrysantha turkestana. 1 to 2 ft involucrata flavescens. 3 to 4 ft	. 60	4 00	
morrowi. Japanese Bush Honeysuckle.	40	3 20	
2 to 3 ft muendeniensis. 1 to 2 ft. Seedlings	. 60 . 30	$\begin{array}{ccc} 4 & 00 \\ 2 & 40 \end{array}$	
2 to 3 ftsegreziensis. 1 to 2 ft. Seedlings	. 70	$\begin{array}{ccc} 6 & 00 \\ 3 & 20 \end{array}$	
trichosantha. 2 to 3 ft	75		
Lyonia ligustrina. I to 2 ft	. 60	$\begin{array}{ccc} 4 & 00 \\ 6 & 00 \end{array}$	
3 to 4 ft Malus angustifolia. 12 to 18 in baccata. Flowering Crab. 2 to 3 ft	1 25 60	10 00 4 00	
baccata. Flowering Crab. 2 to 3 ft	. 50 . 75	4 00 6 00	
at to 4 ft	75 60	4 00	
floribunda. 1 to 2 ft	40	3 20 4 00	36 00
		6 00 8 00	50 00
floribunda atroagnuinea. SCARLET CRAB.	. 60	4 00	36 00
2 to 3 ft	. 75 . 1 25	6 00 10 00	50 00
ioensis. 1 to 2 ft	. 75	6 00	
niedzwetzkyana. Red-Flowering Crab.	. 60	4 00	
3 to 4 ft		6 00 8 00	

CATALOG OF BOXFORD NURSERY

			4
DECIDUOUS TREES AND SHRUBS	s, con	tinued	
36-1	Each	10	100
Malus prunifolia rinki. 3 to 4 ft	1 75		
spectabilis. Showy Crab. 1 to 2 ft	60	\$5 00	\$40 00
3 to 4 ft	$\begin{array}{ccc} 1 & 00 \\ 1 & 50 \end{array}$	8 00 12 00	
toringo. 2 to 3 ft	75	6 00	
3 to 4 ft	1 00	8 00	
Myrica carolinensis (cerifera). Northern Bay- BERRY. 6 to 9 in	30	2 40	20 00
9 to 12 in	40	3 20	24 00
12 to 18 in	60 40	5 00 3 20	24 00
18 to 24 in	60	5 00	40 00
Nyssa sylvatica (multiflora). BLACK GUM. 1 to 2 ft	60	5 00	
2 to 3 ft	1 00		
3 to 4 ft	1 50 1 50	12 00	
Ostrya virginiana. IRONWOOD. 4 to 6 ft	2 00		
Oxydendrum arboreum. Tree Andromeda. 1 to 2 ft	40	3 60	32 00
2 to 3 it	60	5 00	40 00
3 to 4 ft	1 75	$\begin{array}{ccc} 7 & 20 \\ 16 & 00 \end{array}$	60 00 144 00
5 to 6 ft Phellodendron amurense. 1 to 2 ft. Seedlings sachalinense. 1 to 2 ft. Seedlings	40	2 40	10.00
2 to 3 ft. Seedlings	30 40	$\begin{array}{ccc} 2 & 00 \\ 2 & 40 \end{array}$	16 00 20 00
3 to 4 ft. Seedlings	60		
Platanus orientalis. ORIENTAL PLANE. 8 to 10 ft. Specimens	5 00	44 00	
Populus deltoides. Carolina Poplar. 8 to 10 ft. 10 to 12 ft		10 00	
10 to 12 it	$\frac{1}{3} \frac{75}{50}$	16 00 30 00	
maximowiczi. 3 to 4 ft	1 00		
6 to 8 ft	2 00	18 00	
2 to 3 ft	30	2 00	16 00
3 to 4 ft	40 60	3 20 4 00	24 00 36 00
6 to 8 ft	1 00	8 00	60 00
8 to 10 ft	$\frac{1}{2} \frac{50}{00}$	12 00 18 00	
Prunus americana. Wild Plum.	0.5	1 00	10.00
2 to 3 ft. Seedlings	25 40	1 80 3 20	16 00 24 00
3 to 4 ft	75 40	6 00 3 60	50 00 32 00
besseyi. 2 to 3 ft	60	5 00	40 00
4 to 5 ft	1 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
numila. Sand Cherry. 9 to 12 in.	40	3 20	24 00
tomentosa. Japanese Wild Cherry.	60	4 00	
2 to 3 ft. Seedlings	40	2 40	20 00
1 to 2 ft	50 1 00	4 00 8 00	
3 to 4 ft	30	2 00	
1 to 2 ft. Seedlings Yellow Choke			
	30 4 00	2 00	
Quercus coccinea. SCARLET OAK. 8 to 10 ft 10 to 12 ft	6 00		
12 to 14 ft macrocarpa. Mossy-Cup Oak. 8 to 10 ft 10 to 12 ft	8 00		
palustris. PIN OAK. 10 to 12 ft	8 00	36 00	
12 to 14 ft	6 00	50 00	
prinus. Chestnut Oak. 4 to 6 ft	8 00 2 00	70 00	
rubra. Red Oak. 8 to 10 tt	3 00	28 00	
10 to 12 ft	4 50 6 00	40 00 50 00	
Rhamnus dahurica. Buckthorn. 3 to 4 ft	40	3 60 8 00	
4 to 5 ft	1 00	8 00	
12 to 18 in. buds	1 25	10 00	90 00
Rhodotypos kerrioides. White Kerria.	50	i 00	
3 to 4 it	75	6 00	
Rhus canadensis (aromatica). Sweet-scented Sumac. 6 to 12 in	25	1 60	
glabra. Smooth Sumac. 1 to 2 ft	35	3 20	
Robinia kelseyi. Flowering Locust. 2 to 3 ft viscosa. 3 to 4 ft	1 00	8 00	
Rosa carolina 12 to 18 in Sandlings	1 00	8 00	8 00
Rosa carolina. 12 to 18 in. Seedlings. coriifolia. 12 to 18 in. lucida. GLOSSY ROSE. 12 to 18 in.	40	1 00 2 40	3 00
lucida. Glossy Rose. 12 to 18 in	35 50	3 20 4 40	
14			

14

KELSEY'S HARDY SPECIMEN

CATALOG OF BOXFORD NURSERY

CATALOG OF BOATORD	10	ICDL.	
DECIDUOUS TREES AND SHRUBS,			
Rosa lucida alba. 6 to 12 in\$0 12 to 18 in 1	ch 80 00	$\begin{array}{c} 10 \\ \$7 \ 20 \\ 8 \ 00 \end{array}$	\$60 00
	00 25 30	1 80 2 00	16 00
nutkana. 6 to 12 in. Seedlings nutkana hispida. 6 to 12 in. Seedlings	40 40	2 40 2 40	20 00
rugosa. Japanese Rose. 1 to 2 ft	40 75	2 40 6 00	20 00 50 00
semenovi. 1 to 2 ft	50 60 75	4 00 4 00 6 00	30 00 50 00
woodsi. 1 to 2 ft	40 60	3 20 5 00	
Rubus deliciosus. Rocky Mountain Flowering Raspberry. 6 to 12 in	75 35	$\begin{smallmatrix}6&00\\&3&20\end{smallmatrix}$	
SALIX. Our collection of Willows covers almost all planted in the Arnold Arboretum, and we have	the	species others in	that are smaller
planted in the Arnold Arboretum, and we hat planted in the Arnold Arboretum, and we hat quantities that have lately been discovered in Many of the Willows are charming dwarf and se notably beautiful, with bright yellow, brown, a or sometimes covered with a white bloom. The showy and range from tiny balls of down to go Most of them thrive well in both dry soils and	Chin mi- nd	a and els prostrate green bra	sewhere. shrubs,
or sometimes covered with a white bloom. The cashowy and range from tiny balls of down to g	atk	ins are ex	tremely spikes.
tions. acutifolia. 15 to 25 ft. Branchlets dark-colored,		, cry mo	150 100a=
covered with bloom: long, narrow leaves. Es	40 60	$\begin{array}{c} 10 \\ \$3 \ 20 \\ 4 \ 00 \end{array}$	100 \$36 00
3 to 4 ft	60 80	$\frac{4}{7} \frac{00}{20}$	60 00
alba calva. Tree to 50 feet, with bluish green, smooth foliage. Pyramidal habit. 3 to 4 ft 4 to 5 ft	40 60	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
alba splendens (regalis). ROYAL WILLOW. 30 to 60 ft. Very rich silvery foliage; fine as a single specimen or in groups. 4 to 5 ft	60	4 00	36 00
6 to 8 ftambigua. 2 to 3 ft. With creeping stems; smooth	75	6 00	50 00
branchlets; fine sort. 1 to 2 ft	40	3 20	
4 to 5 it	40 60	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
babylonica var. From China. 40 to 60 ft. Wavy bright green foliage; very pendulous branches. 3 to 4 ft	00		
blanda. Wisconsin Weeping. Medium tree. Glaucous foliage. 4 to 5 ft	60	5 00	
leaves downy on both sides. 2 to 3 ft 5 to 6 ft	40 75	3 20 6 00	24 00 50 00
conspicuous catkins in spring. 1 to 2 ft 2 to 3 ft	40 60	3 20 5 00 7 20	
elegantissima. Thurlow's Weeping Willow. 40 to 60 ft. Rapid growth; one of the best of the pendulous forms. 2 to 3 ft	80		
erdingeri cremensis. Tall shruht broad leaves	30 50	2 40 4 00	20 00 32 00
pubescent. 5 to 6 ft	75	6 00 2 40	
3 to 4 ft	30 60	5 00	
3 to 4 it	40 60	3 20 5 00	
glaucophylla. Shrubby; striking thick foliage; one of the best. 2 to 3 ft	60 80	$\begin{array}{cc} 5 & 00 \\ 7 & 20 \end{array}$	
gracilistyla. Fine. Shrub; young branchlets tomentose; older reddish brown; acute leaves; large catkins appearing earlier than those of any other willows. 1 to 2 ft	4.0	9.00	04.00
grandifolia Shrub to 10 feet with rather	40 60	3 20 5 00	24 00
large, broad leaves, bluish below. 1 to 2 ft	40	3 20	
lets pubescent; older brown; serrate leaves. 1 to 2 ft	40 60	3 20 5 00	
2 to 3 ft	40 60	5 00 3 20 5 00	
15			

CATALOG OF BOXFORD NURSERY

S

DECIDUOUS TREES AND SHRUBS	, con	tinued	
alix irrorata. Colorado Willow. Dwarf.	Each	10	100
1 to 2 ft	0.40	\$3 20	
pubescent branchlets; flowers before the leaves. 1 to 2 ft	40	3 20	
latifolia (caprea × myrsinifolia). Tall shrub or small tree with rather broad, medium-sized			
or small tree with rather broad, medium-sized leaves. 1 to 2 ft	40 60	3 20 5 00	
lucida. Tall shrub or tree to 20 feet, with large	00		
shining long-pointed leaves; male catkins late, golden yellow; very handsome. 2 to 3 ft.	40	3 20	\$24 00
3 to 4 ft	60	5 00	
beneath. 2 to 3 ft	40	3 20	
leaves, glabrous above and woolly underneath.	40	3 20	
2 to 3 ft	60 80	5 00 7 20	
5 to 6 ft myrtilloides, female. 2 to 3 ft. Shrub or tree; very showy foliage. 3 to 4 ft			40.00
4 to 9 it	60 80	5 00	40 00
neriifolia (purpurea × grandiflora). 3 to 6 feet. Shrub; young branchlets pubescent,			
later smooth green or brown. 2 to 3 it	60	5 00	
pentandra. Laurel-leaved Willow. 40 to 60 feet. Shiny foliage; rapid grower. 1 to 2 ft 2 to 3 ft	30	2 40	20 00
2 to 3 ft	40 60	3 20 5 00	40 00
6 to 8 ft	1 00	8 00	
petiolaris. Shrub to 10 feet, with narrow leaves. 3 to 4 ft	60	5 00	
4 to 5 ft	80	7 20	
3 to 4 ft.	40 60	3 20 5 00	24 00
phylicifolia erowiana. Shrub to 5 feet, with		1 10	
phylicifolia crowiana. Shrub to 5 feet, with stout branches and rather broad leaves, whitish below. 1 to 2 ft	40	3 20	
piperi. Shrub to 20 feet; dark brown branchlets; large leaves. 3 to 4 ft	40	3 20	
nurnires. Shrub or small tree to la test with			
slender purple branches, and rather small, narrow leaves. Much used for fine basket- work abroad. 3 to 4 ft	10	2 20	
4 to 9 it	40 60	3 20 5 00	
purpurea amplexicaulis. Small tree. Similar to S. purpurea, but leaves broader. 1 to 2 ft	60	5 00	
nurnurea kecksi. Little different from S mur-	40	3 20	
purea. 4 to 5 ft	. 80	7 20	
or small tree with slender purple branches.			
2 to 3 ft	40 60	3 20 5 00	24 00
4 to 5 ft	80	5 00 7 20 8 00	60 00
5 to 6 ftpurpurea sericea. Small tree. Similar to S. pur-			
purea but leaves silky. 3 to 4 ft	40 60	3 20 5 00	
repens, female. Fine dwarf procumbent species.	60	5 00	
3 to 4 ft	80	7 60	
repens argentea. Dwarf shrub with small silvery white leaves. 12 to 18 in	60	5 00	
white leaves. 12 to 18 in			
with bloom; narrow dark green leaves. 3 to 4 ft	60	5 00	
rubens. Tree with fragile branches; a hybrid be-	60	5 00	
tween S. alba and S. fragilis. 2 to 3 ft 4 to 5 ft	30 60	$\begin{array}{ccc} 2 & 40 \\ 5 & 00 \end{array}$	40 00
5 to 6 ft	80	7 60	
rubens palustris. Tree with fragile branchlets.	40	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
4 to 5 ft	60 40	3 20	
Russian Golden. Medium tree. 2 to 3 ft	30 40	$\begin{array}{ccc} 2 & 40 \\ 3 & 20 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 24 & 00 \end{array}$
sericea. One of the best dwarf species. 1 to 2 ft.	40	3 20	24 00
2 to 3 ftsesquitertia. Low shrub. 2 to 3 ft	60 60	5 00 5 00	
sieboldiana. Upright shrub; young branchlets			
foliage, white underneath. 1 to 2 ft	30	2 40	
sieboldiana. Upright shrub; young branchlets tomentose, older glabrous; fine dark green foliage, white underneath. 1 to 2 ft	$\frac{40}{60}$	3 20 5 00	

16

DECIDUOUS TREES AND SHRUBS,	con	tinued	
Salix sordida. Tall shrub, with long, dull green E.	ach	10 \$5 00	100
leaves. 3 to 4 ft	60	5 00	
low. 2 to 3 ft	40 60	$\begin{array}{ccc} 3 & 20 \\ 5 & 00 \end{array}$	
tetrapla. Shrubby, shiny leaves, a cross between S. myrsinifolia and S. phylicifolia. 1 to 2 ft 2 to 3 ft	$\frac{40}{60}$	$\begin{array}{ccc} 3 & 20 \\ 5 & 00 \end{array}$	
basketwork abroad. 3 to 4 ft	30 40	2 40 3 20 5 00	
viminalis gmelini. Tree with long, narrow leaves, shining silvery white below. 4 to 5 ft.	60 40	3 20	
Sambucus canadensis. American Elder. 2 to 3 ft	50	4 00	
$egin{array}{cccccccccccccccccccccccccccccccccccc$	60 80 00 00	5 00 7 20 8 00 8 00	\$40_00
Sorbus americana. American Mountain Ash. 3 to 4 ft	80	7 20 8 00	
aucuparia. European Mountain Ash. 7 to 8 ft	50 50	12 00 22 00	
Spiræa Anthony Waterer. 6 to 12 in	40	3 20	
12 to 18 in		5 00 8 00	
6 to 7 ft	50 50	12 00 4 00	
thunbergi. Snow Garland. 2 to 3 ft	50 80	4 00 7 20	
tomentosa. Steeple Bush. 2 to 3 ft	60	5 00	
van houttei. Bridal Wreath. 2 to 3 ft 3 to 4 ft	$\frac{50}{75}$	$\begin{array}{ccc} 4 & 00 \\ 6 & 00 \end{array}$	32 00 50 00
Stewartia pentagyna. Alleghany Stewartia. 1 to 2 ft	25	10 00	
Symphoricarpos racemosus. Snowberry. 2 to 3 ft	60	5 00	40 00
3 to 3½ ft	80	7 20 8 00	60 00
racemosus lævigatus. 1 to 2 ft	00 60	5 00	70 00
vulgaris. Coralberry. 2 to 3 ft	60 80	5 00 7 60	40 00
Syringa. Named lilacs on own roots.	25	10 00	
Dame Blanche. D. WHITE. 1 to 2 ft	75	6 00	
Geheimrath Ryder. 2 to 3 ft 1	00	10 00 8 00	
3 to 4 ft	50 50	$12 00 \\ 12 00$	
Ludwig Spaeth. S. Dark-Crimson-Purple.	50	12 00	
Mme. Abel Chatenay. D. White. 1 to 2 ft 1	00	8 00	
Mme. Lemoine. D. White, 1 to 2 ft	50 00	12 00 8 00	
Mons. La Page. Semi-double. White. 2 to 3 ft. 1 4 to 5 ft. 1 1 1 1 1 pyramidalis. Fine azure-rose. 2 to 3 ft. 1 1		$\begin{array}{ccc} 8 & 00 \\ 12 & 00 \end{array}$	
pyramidalis. Fine azure-rose. 2 to 3 ft	00	8 00	
Rubra de Marley. S. Purplish red. 1 to 2 ft 1 verschaffelti. S. Dark red. 2 to 3 ft 1		10 00 8 00	
5 to 6 ft	00	18 00	
1 to 2 ft., clumps	$ \begin{array}{r} 60 \\ 80 \\ 25 \end{array} $	$\begin{array}{ccc} 5 & 00 \\ 7 & 20 \\ 10 & 00 \end{array}$	40 00 60 00 90 00
vulgaris alba. S. Common White Lilac. 2 to 3 ft., clumps.	80 25	$\begin{array}{ccc} 7 & 20 \\ 10 & 00 \end{array}$	60 00 90 00
Tilia americana. American Linden. 4 to 6 ft	75	6 00	
10 to 12 ft 2		12 00 18 00	160 00
12 to 14 ft	25	28 00 10 00	
12 to 14 ft		18 00	
12 to 14 ft. 5 16 to 18 ft. 10 18 to 20 ft. 15	00		
18 to 20 ft	00	8 00	70 00
8 to 10 ft 1	50 00	12 00 18 00	100 00
- 12 to 14 ft 4	00	36 00	$\frac{160}{340} \frac{00}{00}$
campestris. English Elm. 10 to 12 it 4	00	36 00	

CATALOG OF BOXFORD NURSERY

promising manner than comment		
DECIDUOUS TREES AND SHRUBS, con		
Vaccinium corymbosum. Highbush Blueberry. Each 6 to 9 in. Transplants. \$0 30 9 to 12 in. Transplants. 40 12 to 18 in. 60 2 to 3 ft. 1 50 3 to 4 ft. Specimens. 3 00 4 to 5 ft. Specimens. 4 00 5 to 6 ft. Specimens. 6 00 erythrocarpum. 1 to 2 ft. 60 pallidum. 6 to 9 in. 40 stamineum. Deerberry. 12 to 18 in. 60 vitis-idæa. Foxberry. 3 to 6 in. 1 00	10 \$2 40 3 20 5 00 12 00 28 00 36 00 50 00 5 00 3 20 5 00 8 00	100 \$20 00 24 00 40 00 100 00 240 00 340 00 400 00 24 00
Viburnum acerifolium. MAPLELEAF V. 1 to 2 ft. 50 americanum. 6 to 12 in. Seedlings. 25 1 to 2 ft. 60 60 62 63 60 2 to 3 ft. 60 </th <th>4 00 1 60 5 00 3 20 5 00 7 20 10 00 18 00 10 00</th> <th>12 00</th>	4 00 1 60 5 00 3 20 5 00 7 20 10 00 18 00 10 00	12 00
5 to 6 ft 1 75	16 00	144 00
6 to 7 ft	18 00 6 00 10 00 4 00 8 00 3 20	50 00 30 00
4 to 5 ft. 1 50 5 to 6 ft. 2 50 opulus nanum. 6 to 9 in. 40 9 to 12 in. 80 12 to 18 in. 1 25 18 to 24 in. 1 75 sargenti. 1 to 2 ft. 1 00 tomentosum. 2 to 3 ft. 75 4 to 5 ft., heavy. 2 00 Zanthorhiza apiifolia. Yellow Root. 6 to 12 in. 30	12 00 22 00 3 20 7 20 10 00 16 00 8 00 6 00 10 00 18 00	20 00
12 to 18 in., clumps. 50 18 to 24 in., heavy clumps 80	4 00 7 20	32 00 60 00

Vines and Climbing Plants.

	-		
	ach	10	100
		\$6 00	100
Actinidia arguta. SILVER VINE. Strong\$			
Akebia quinata. Strong	75	6 00	
Ampelopsis aconitifolia, 1 to 2 ft	75	6 00	
quinquefolia engelmanni, 1 to 2 ft	40	3 20	
tricuspidata veitchi. 2-yr., heavy	60	5 00	
Aristolochia sipho. Dutchman Pipe. 1 to 2 ft	60	5 00	
Celastrus orbiculatus punctatus. 1 to 2 ft. Light.	20	1 60	\$12 00
2 to 3 ft	50	4 00	32 00
3 to 4 ft	75	6 00	
scandens. Bittersweet. 1 to 2 ft	40	3 20	
Clematis ligusticifolia. Western Species.			
Strong	60	5 00	
paniculata. Japanese Clematis. Strong	40	3 20	
Heavy	60	5 00	
virginiana. Virgin Bower. Strong	40	3 20	
Euonymus obovatus. 9 to 12 in	40	3 20	
radicans. CLIMBING EUONYMUS. Strong	40	3 20	
Heavy	60	5 00	
radicans minimus (kewensis). Strong	75	6 00	
radicans variegatus. Strong	60	5 00	
radicans vegetus. 6 to 12 in	50	4 00	
$1\overline{2}$ to 18 in	75	6 00	
Lonicera japonica halliana. HALL HONEY-			
SUCKLE. Strong	50	4 00	32 00
sempervirens. Coral Honeysuckle. 1 to 2 ft.	50	4 00	
Lycium chinense	50	4 00	
Rosa, Climbing and Trailing	75	6 00	50 00
Dorothy Perkins. Light pink. Setigera.			
Crimson Rambler. Crimson. Tausendso	hon	Rossia	ormina
Excelsa. Crimson. Tennessee			ai iiiiiie.
Pink Rambler. Pink. Veilchemb			lilac
Queen of the Prairie. Bright pink, White Per			
striped white. Wichuraia			ite. in
Silver Moon. Silvery white, yellow clusters.			200, 222
center. Yellow Ra	mble	r. Yello	w.
Schizophragma hydrangeoides. CLIMBING E	ach	10	
Hydrangea\$		10	
Vitis heterophylla. 1 to 2 ft		\$5 00	
Wisteria frutescens magnifica.		φυ 00	
multijuga			
sinensis alba			
CARCARDED WANTED	_ 00		

CATALOG OF BOXFORD NURSERY

Hardy Herbaceous Perennials

A general collection of herbaceous plants usually offered in American catalogues will be supplied at 40 cts. each, \$2.40 for 10, \$20 per 100, in strong plants; clumps of many varie-ties can be supplied at double these prices. Rare varieties

will be charged for according to value. F	ach	10	100
Actæa rubra. Red Baneberry, 1-yr. Seedlings. \$	30	\$2 40	\$20 00
Asters, native, in variety	20	1 80	16 00
Carex fraseri. Evergreen Sedge	30	2 40	
Dicentra eximia. WILD BLEEDING HEART.			
Clumps	40	3 60	32 00
Galax aphylla. Coltsfoot. Clumps	50	4 40	
Helianthus decapetalus	30	2 40	20 00
Hemerocallis fulva. YELLOW DAY LILY	30	2 40	20 00
Hepatica triloba	30	2 40	20 00
Hepatica triloba	30	2 40	20 00
Liatris spicata	30	2 40	20 00
Lilium hansoni. Japanese Species. 1st size	00	8 00	
tenuifolium. Siberian Coral Lily. 1st size	60	5 00	
tigrinum. Tiger Lily. 1st size	30	2 40	20 00
For other American Native Lilies, see page 23.			
Monarda didyma. BEE BALM	30	2 40	
fistulosa	30	2 40	20 00
Pæonia, Mixed	40	3 60	32 00
Strong clumps	1 00	8 60	80 00
Parnassia caroliniana	30	2 40	20 00
Phlox amœna	30	2 40	20 00
paniculata, in variety	30	2 40	20 00
stellaria	40	3 60	32 00
subulata. Purple. Clumps	30	2 40	20 00
Bright pink. Clumps	30	2 40	20 00
subulata alba. White Phiox	30	2 40	20 00
Polygonatum commutatum. Solomon Seal	30	2 40	_0 00
Porteranthus (Gillenia) stipulata. Strong	30	2 40	
Sanguinaria canadensis. Bloodroot. 1-yr. Seed-	00	2 10	
lings	20	1 80	16 00
Sarracenia catesbæi, drummondi, minor, psit-	20	2 00	10 00
tacina, purpurea, rubra	40	3 60	
Saxifraga cordifolia	40	3 60	
Sadum (Stonecron) in variety	30	2 40	20 00
Sedum (Stonecrop) in variety	00	2 10	20 00
iferum, tectorum	30	2 40	20 00
Solidago. Goldenrod, in variety	20	1 80	16 00
Stenanthium robustum. Mountain Feather	-0	_ 00	20 00
Fleece. 1st size	40	3 60	32 00
Stokesia cyanea	30	2 40	20 00
Thermopsis caroliniana	30	2 40	20 00
Thymus serpyllum album, and lanuginosus	30	2 40	20 00
Trillium grandiflorum. Large-flowered Wake-			_0 00
ROBIN	20	1 00	6 00
Viola pedata, clumps	20	1 80	16 00
pedata bicolor	30	2 40	20 00
Yucca filamentosa	50	4 00	36 00
glauca. Adam Needle	50		
Found			

Ferns

Adiantum pedatum. Maidenhair Fern	30	2 40	20 00
Asplenium ebeneum	30	2 40	20 00
filix-fœmina. Lady Fern	30	2 40	20 00
trichomanes. Maidenhair Spleenwort	30	2 40	20 00
Cystopteris bulbifera. BLADDER FERN	30	2 40	20 00
fragilis. Brittle Fern	40	3 60	32 00
Dennstædtia (Dicksonia) punctilobula. HAY-			
SCENTED FERN	20	1 80	16 00
Dryopteris acrostichoides. Dagger Fern	30	2 40	20 00
booti	40	3 60	
eristatum	30	2 40	20 00
goldiena. Goldie Fern	40	3 60	
marginalis. Shield Fern	30	2 40	20 00
noveboracensis. New York Fern	30	2 40	20 00
spinulosa. Spinulose Shield Fern	-30	2 40	20 00
thelypteris. Marsh Shield Fern	30	2 40	20 00
Lygodium palmatum. CLIMBING FERN	40	3 60	
Matteuccia (Onoclea) struthiopteris	40	3 60	
Onoclea sensibilis. Sensitive Fern	30	2 40	
Osmunda cinnamomea. CINNAMON FERN	40	3 60	32 00
claytoniana. Clayton Fern	40	3 60	32 00
regalis. ROYAL FERN	40	3 60	32 00
Phegopteris polypodioides	30	2 40	20 00
Phyllitis scolopendrium	75	6 00	
Polypodium vulgare. Polypody	20	1 80	
Woodsia obtusa. Blunt-lobed Woodsia	30	2 40	

PRICES in this catalog abrogate all previous price-lists or quotations

Price-List of Highlands Nursery SPECIAL NOTICE

Highlands Nursery, Pineola, North Carolina, lies on the crest of the Alleghany Mountains, at 3,800 feet elevation, insuring absolutely hardy stock. It is the native home of the most beautiful and hardiest Broad-leaved Evergreens and Ericaceous plants indigenous to America.

Labor conditions and lack of adequate shipping facilities have made it seem best to close out this nursery. Much of the best material is already growing at my Boxford Nursery where soil and a vigorous New England climate combine to produce well-nigh perfect conditions for propagating these fine things.

climate combine to produce well-nigh perfect conditions for propagating these fine things.

It is an excellent opportunity to secure fine material at prices that will probably not be duplicated again. Those wishing car-lots will do well to correspond with me at once and secure very special rates.

For our customers who may wish "collected" Rhododendrons and Kalmias we will still continue to handle these direct from the high southern mountains. See page 24.

DECIDUOUS AND EVERGREEN Trees, Shrubs, Woody Vines

NOTE.—All plants are transplanted and nursery-grown, unless plainly marked otherwise. This is a catalog of nursery-grown plants growing at my Highlands Nursery, Pineola, North Carolina. All communications should be addressed: Harlan P. Kelsey, Owner, Salem, Massachusetts.

Owner, Salem, Massachusetts.				
Abies fraseri, Fraser Balsam Fir.		ach	10	100
3 to 4 ft		75	\$15 00	
4 to 5 ft	. 2	75	25 00	
5 to 6 ft	. 4		35 00	
6 to 8 ft	. 5		45 00	
Acer saccharum. 2 to 3 ft	•	25	2 00	
3 to 4 ft		$\frac{35}{45}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
		60	5 00	
We could see a contract of the 2 ft		25	2 00	
Alnus rugosa, 4 to 6 ft	:	40	3 00	
6 to 8 ft		60	5 00	
Alnus rugosa. 4 to 6 ft		15	1 00	
2 to 4 ft		25	2 00	15 00
4 to 6 ft		35	3 00	
6 to 8 ft	• •	50	4 00	
6 to 8 ft. Ampelopsis engelmanni "Collected" plants at \$ Aralia spinosa. 2 to 4 ft. Aronia arbutifolia. 1 to 2 ft.	30 I	er :	1,000.	
Aralia spinosa. 2 to 4 it	•	15	1 00	
Aronia aroutilolia. 1 to 2 it	•	40	$\frac{2}{3} \frac{00}{00}$	
2 to 3 ft erythrocarpa. 2 to 3 ft	•	25	2 00	
2 to 4 ft	•	40	3 00	
melanocarna (nigra). 1 to 2 ft.		20	1 50	
3 to 4 ft melanocarpa (nigra). 1 to 2 ft 2 to 3 ft	•	40	3 00	
3 to 4 ft	:	60	4 00	
4 to 5 ft		75	5 00	
Azalea arborescens. 6 to 12 in		40	3 00	25 00
12 to 18 in		65	5 00	45 00
18 to 24 in	. 1	00	7 50	
6 to 12 in., clumps	. 1	00	8 00	
12 to 18 in., clumps	. 1	40	10 00	
18 to 24 in., clumps	. 2	50 00	18 00	
18 to 24 in., clumps	. 4	35	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
12 to 18 in	•	50	4 00	
18 to 24 in	•	75	5 00	
6 to 12 in. clumps	:	65	4 50	
6 to 12 in., clumps	. 1	00	8 00	
18 to 24 in., clumps	. 1	50	14 00	
2 to 3 ft., clumps	. 2	00	18 00	
3 to 4 ft., clumps	. 3	00	25 00	
nudiflora. 6 to 12 in		35	2 50	
12 to 18 in		50	4 00	
12 to 18 in., clumps	•	80	7 50	
vaseyi. 6 to 12 in		50 75	3 50 6 00	
18 to 24 in	. 1		0 00	30 00
18 to 24 in 6 to 12 in., clumps	. î	25	10 00	
viscosa. 6 to 12 in		40	2 50	
12 to 18 in		50	3 50	
18 to 24 in		75	6 00	50 00
6 to 12 in., clumps		75	6 00	
12 to 18 in., clumps	. 1	00	8 00	
18 to 24 in., clumps	. 1	50	10 00	
18 to 24 in., clumps. Benzoin æstivale. 6 to 12 in. Betula populifolia. 1 to 2 ft. Seedlings. 2 to 3 ft. Seedlings.	•	15	1 00	
2 to 2 ft Soodlings	•	$\frac{10}{12}$	50 60	
3 to 4 ft Seedlings	•	15	75	
4 to 6 ft. Seedlings		18	1 00	
3 to 4 ft. Seedlings. 4 to 6 ft. Seedlings. Bignonia capreolata. 6 to 12 in.		20	1 25	
radicans. 1 to 2 ft		20	1 50)
Calycanthus fertilis. 1 to 2 ft		15	1 25	
floridus. 1 to 2 ft		15	1 25	
		65	5 00 7 50	
8 to 10 ft	. 1	00 50	7 50 12 00	
Castanea numila, CHINKAPIN 3 to 4 ft	. 1	60	4 50	
8 to 10 ft 10 to 12 ft Castanea pumila, Chinkapin. 3 to 4 ft 4 to 6 ft Celastrus orbiculatus punctatus. 1 to 2 ft	. 1	00	8 00	
Celastrus orbiculatus punctatus. 1 to 2 ft		25	2 00	16 00
2 00 0 10000000000000000000000000000000		35	3 00	
scandens. 1 to 2 ft		20	1 50	
Chamædaphne calyculata. 12 to 18 in		35	2 00	16 00
18 to 24 in	•	50		

KELSEY'S HARDY SPECIMEN EVERGREENS CATALOG OF HIGHLANDS NURSERY

TREES, SHRUBS, WOODY VINES			100
Clethra acuminata. 1 to 2 ft	Each . \$0 20	\$1 50	100
2 to 3 ft	. 50	$\begin{array}{cccc} 2 & 50 \\ 4 & 00 \end{array}$	\$30 00
4 to 5 ft	. 20	$\begin{array}{ccc} 6 & 00 \\ 1 & 50 \end{array}$	12 00
1 to 2 ft	. 35	2 50 1 50	$\begin{array}{ccc} 20 & 00 \\ 12 & 50 \end{array}$
Corylus americana. 1 to 2 ft	. 25	$\begin{array}{ccc} 1 & 50 \\ 2 & 50 \end{array}$	$\begin{array}{ccc} 12 & 50 \\ 20 & 00 \end{array}$
3 to 4 ft 4 to 6 ft	. 50	$\frac{4}{7} \frac{00}{00}$	30 00 60 00
6 to 8 ft	. 1 00	9 00 1 50	
2 to 3 ft	. 35	2 50	15 00
3 to 4 ft	. 75	4 00 6 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Cratægus coccinea. 4 to 12 in.	. 10	1 00	7 00
2 to 3 ft	. 40	$\begin{array}{ccc} 2 & 00 \\ 3 & 00 \end{array}$	
punctata. 6 to 12 in. Seedlings	. 10	3 00	5 00
6 to 8 ft	60	$\begin{array}{ccc} 5 & 00 \\ 1 & 50 \end{array}$	10 00
Gaylussacia baccata (resinosa). 6 to 12 in 1 to 2 ft ursina. 1 to 2 ft	. 30	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	18 00
ursina. 1 to 2 ft	. 30	2 50	18 00
2 to 3 ft	. 35	3 00	16 00
densiflorum. 1 to 2 ft	. 30	$\frac{1}{2} \frac{00}{00}$	8 00
prolificum. 1 to 2 ft	. 30	$\begin{array}{ccc} 2 & 00 \\ 3 & 00 \end{array}$	20 00
Ilex decidua. 1 to 2 ft	. 25	$\begin{array}{ccc} 2 & 00 \\ 3 & 00 \end{array}$	
3 to 4 ft	. 60	$\frac{4}{8} \frac{00}{00}$	
monticola. 1 to 2 ft	25	1 50 2 50	$\frac{12}{18} \frac{00}{00}$
3 to 4 ft	. 75	5 00	10 00
4 to 6 ft	. 30	8 00 2 50	
2 to 3 ft	. 2 00	10 00	
4 to 5 ft verticillata. 1 to 2 ft	. 40	3 00	
Kalmia augustifolia. 6 to 12 in	. 25	$\begin{array}{ccc} 2 & 00 \\ 4 & 00 \end{array}$	30 00
latifolia. Mountain Laurel. 9 to 12 in	. 30	$\begin{array}{ccc} 2 & 00 \\ 4 & 00 \end{array}$	30 00
18 to 24 in	. 75	6 00 8 00	$\frac{50}{75} \frac{00}{00}$
18 to 24 in., clumps	$\frac{1}{2} = \frac{1}{00}$	16 00	150 00
Leiophyllum buxifolium. 6 to 12 in	. 25 . 40	$\begin{array}{ccc} 2 & 00 \\ 3 & 50 \end{array}$	
prostratum. 1- to 3-in., spread	20	1 50	$\begin{array}{cccc} 12 & 00 \\ 20 & 00 \end{array}$
3- to 6-in., spread Leucothoe catesbæi. 12 to 18 in	. 25	2 50 2 00	15 00
12 to 18 in., clumps	. 1 00	6 00 8 00	50 00 75 00
Lonicera japonica halliana. Light. \$40 per 1,00	. 10	$\begin{array}{c} 50 \\ 1 \ 00 \end{array}$	$\frac{4}{8} \frac{00}{50}$
Lyonia ligustrina. 1 to 2 ft	. 30	$\begin{array}{ccc} 2 & 00 \\ 2 & 50 \end{array}$	15 00
Strong Lyonia ligustrina. 1 to 2 ft Malus coronaria. 1 to 2 ft 2 to 3 ft 3 to 4 ft 4 to 5 ft.	. 50 . 65	$\frac{4}{5} \frac{00}{00}$	
4 to 5 ft Menziesia pilosa. 1 to 2 ft	. 1 00	8 00 5 00	40 00
Nyssa sylvatica. 1 to 2 ft	. 40	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20 00
3 to 4 ft	. 75	6 00 9 00	
4 to 5 ft	. 1 00	1 25	10 00
1 to 2 ft	. 40	$\begin{array}{cccc} 2 & 00 \\ 3 & 00 \\ \end{array}$	$\begin{array}{cccc} 15 & 00 \\ 22 & 00 \\ \end{array}$
3 to 4 ft	. 60	4 00 5 00	30 00 40 00
5 to 6 ft	1 95	$\begin{array}{ccc} 8 & 00 \\ 10 & 00 \end{array}$	60 00
Picea engelmanni, 6 to 12 in.	. 15	$\begin{array}{ccc} 1 & 00 \\ 2 & 00 \end{array}$	8 00
12 to 18 in. pungens. 6 to 12 in. Seedlings. 1 to 2 ft. Seedlings.	. 15	80 1 00	6 00 8 00
6 to 12 in		$\begin{array}{cccc} 1 & 50 \\ 2 & 50 \end{array}$	10 00 16 00
Pieris (Andromeda) floribunda. 12 to 18 in	. 1 60	15 00	120 00
18 to 24 in Pinus banksiana. 10 to 12 ft	. 1 60	15 00	140 00
ponderosa. 1 to 2 ft	. 20	18 00	160 00 10 00
2 to 3 ft	. 40	2 50 3 00	$\frac{15}{20} \frac{00}{00}$
4 to 5 ft	. 60	5 00	

CATALOG OF HIGHLANDS NURSERY

TREES, SHRUBS, WOODY VINES	con	tinuad	!
	Eacl	a 10	100
Pinus flexilis. 6 to 12 in	. 40	\$2 50 3 50	\$20 00
Prunus numila 6 to 12 in	. 1 50	10 00	80 00
1 to 2 ft Pseudotsuga douglasi (taxifolia). 6 to 12 in 1 to 2 ft	. 25 . 25	1 50	10 00
1 to 2 ft	. 40	2 00	15 00
2 to 3 ft Quercus palustris. 10 to 12 ft	. 75 . 3 50		
12 to 15 ft prinus. 6 to 8 ft	. 4 50	40 00	
8 to 10 ft	4 00	30 00	14.00
12 to 18 in., clumps	. 1 50	12 50	$14 - 00$ $110 \ 00$
18 to 24 in., clumps 2 to 3 ft., clumps	. 2 25 . 3 50		$160 00 \\ 250 00$
3 to 4 ft., clumps	5 00	45 00	400 00
maximum. 3 to 6 in	. 20	1 25	10 00
9 to 12 in	. 45		16 00 28 00
18 to 24 in	. 1 00	6 00	$50 00 \\ 100 00$
18 to 24 in., clumps	2 00	18 00	150 00
2 to 3 ft., clumps Rhodora canadensis. 6 to 12 in	40		
Rhus typhina. 2 to 3 ft	25	1 50	$\begin{array}{ccc} 12 & 00 \\ 20 & 00 \end{array}$
3 to 4 ft	$\frac{35}{20}$	1 50	10 00
Rosa blanda. 6 to 12 in Seedlings	. 60		8 00
1 to 2 ft carolina. 1 to 2 ft	25	2 00	8 00
2 to 3 ft	20	1 50	12 00
humilis. 1 to 2 ftlucida. 1 to 2 ft	25 25		18 00 18 00
nitida. 6 to 12 in	20	$\begin{array}{ccc} 1 & 50 \\ 2 & 00 \end{array}$	12 00
nutkana. 1 to 2 ft.	35	3 00	18 00
woodsi. 6 to 12 in. Seedlings Rubus canadensis. 1 to 3 ft	35 15	3 00	6 00
laciniatus. 1 to 3 ft	25	2 00	15 00
odoratus. 1 to 2 ft	30	2 50	
4 to 6 ft	45	3 50 3 50	
Stewartia pentagyna. 1 to 2 ft	50 1 50	3 50	
4 10 0 11,	9 00	$\frac{10}{20} \frac{00}{00}$	
Tsuga canadensis. 3 to 4 ft	$\begin{array}{ccc} 1 & 75 \\ 4 & 00 \end{array}$	15 00 35 00	
6 to 7 ft	6 00	50 00 80 00	
7 to 8 ft	1 00	9 00	80 00
18 to 24 in	$\begin{array}{ccc} 1 & 50 \\ 2 & 50 \end{array}$	$\frac{12}{20} \frac{00}{00}$	
Some perfect specimens of this grand Hemlock, I will be sold on special terms. Anyone desiring to m	16 to 2		height,
for immediate effect can find nothing their equal els	ewher	notable e and sho	uld cor-
respond with us at once. They lift with very large ball and can be considered.	ed for	earload sl	hipment
only. For description of the Carolina Hemlock, see	front	page cov	er.
Vaccinium erythrocarpum 1 to 2 ft	Each \$0 50	10 \$4 00	100
macrocarpon. Clumps	10 60	75 5 00	\$5 00 40 00
2 to 3 ft., clumps. pennsylvanicum. 4 to 12 in. stamineum. 1 to 2 ft	1 00	8 00	
stamineum. 1 to 2 ft	$\frac{40}{25}$	$\begin{array}{ccc} 3 & 00 \\ 2 & 00 \end{array}$	20 00 16 00
6 to 12 in., clumps	30 50	2 50 3 50	20 00 30 00
18 to 24 in., clumps	75	6 00	00 00
2 to 3 ft., clumps Viburnum acerifolium. 1 to 2 ft	1 00	$\begin{array}{ccc} 8 & 00 \\ 2 & 50 \end{array}$	20 00
2 to 3 ft	40 50	3 00 4 00	
alnifolium. 6 to 12 in	30 45	2 50 4 00	$\frac{20}{35} \frac{00}{00}$
1 to 2 ft	25	2 00	15 00
2 to 3 ft	40 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	25 00 35 00
4 to 6 ft	90	8 00	60 00
6 to 8 ft	10	75	5 00
6 to 12 in. Seedlings	15 25	$\begin{array}{cc} 1 & 00 \\ 2 & 00 \end{array}$	7 00 - 18 00
Zanthorhiza apiifolia. 3 to 6 in. \$30 per 1,000	10	60	4 00
6 to 12 in. \$50 per 1,000	$\frac{15}{20}$	$\begin{array}{c} 75 \\ 1 \ 00 \end{array}$	6 00 8 00
3 to 6 in., clumps. \$70 per 1,000 6 to 12 in., clumps. \$80 per 1,000	$\frac{20}{25}$	1 00 1 50	8 00 10 00
18 to 24 in., clumps	50	4 00	30 00
99			

CATALOG OF HIGHLANDS NURSERY

Hardy Herbaceous Perennials, Vines, Aquatics, Ferns, Orchids, Lilies and Bulbous Plants

		0	100	1000
Aconitum uncinatum	. 51	00		
Actæa alba		75	00.00	
Allium cernuum	. 1	25	\$8 00	
Amsonia tabernæmontana	. 1	00		
Arisæma triphyllum	. 1	00		
Asarum macranthum. "Collected"	. 1	00	8 00	
Asters, in variety	. 1	00	8 00	\$70 00
Galax aphylla. "Collected" clumps	. 1	00	8 00	60 00
Gaultheria procumbens. "Collected" clumps	1	50	8 00	60 00
Gentiana andrewsi	. т	00	6 00	
Gillenia stipulata. Strong	. 1	00	8 00	
Habenaria ciliaris		00	8 00	
Heuchera villosa		00	.8 00	
Iris cristata	. 1	50	10 00	80 00
pseudacorus	. 1	00	8 00	
verna. Clumps		50	10 00 .	
Liatris spicata	. 1	00	8 00	
LILIUM carolinianum. CAROLINA LILY.				
1 and 2 yr., from scales	٠.	50	4 00	35 00
2d size	1	00	7 00	
lst size	1	25	10 00	25 00
grayı. 1 and 2 yr., from scales	. 1	50 00	$\frac{4}{6} \frac{00}{00}$	35 00
1st size	. 1	25	10 00	50 00 80 00
1 and 2 yr., from scales. 2d size. 1st size. grayi. 1 and 2 yr., from scales. 2d size. 1st size. superbum. Turk-Cap Lily. 3d size. 2d size. 1st size. Carex fraseri. "Collected". Chamælirium luteam Cicuta maculata. Cimicifuga americana racemosa. Clematis crispa.		40	2 50	20 00
2d size		75	5 00	35 00
1st size	1	00	8 00	65 00
Carex fraseri. "Collected"	1	25	10 00	80 00
Chamælirium luteam	1	00	8 00	70 00
Cicuta maculata	1	00	8 00	MO 00
Cimicifuga americana	1	00	8 00	70 00
Clamatic ariana	2	75	6 00 20 00	50 00
Clematis crispa Clintonia umbellata Coreopsis lanceolata	2	75 75	6 00	
Coroonsis lancoolata		75	6.00	
major		75	6 00	
rosea	1	00	8 00	
verticillata	1	00		
major. rosea. verticillata Cypripedium hirsutum. Light.		75	5 00	40 00
Strong. Dioscorea villosa Diphylleia cymosa Disporum lanuginosum Epigæa repens. Trailing Arbutus. "Collected	1	25	$10 \ 00$	80 00
Dioscorea villosa	1	00		
Diphylleia cymosa	1	25		
Enigne Torons Travella Appropriate "Collector	į,, 1	25		
clumps	. 1	50	12 00	100 00
	1	00	12 00	100 00
FERNS. Hardy Native Species.	1	25	10 00	
Acalanium filix-famina	1	00		
Rotrychium virginianum	i	00	8 00 7 00	
Dryonteris acrostichoides	î	00	8 00	
marginalis	1	.00	8 00	\$60 00
Adiantum pedatum Asplenium filix-foemina Botrychium virginianum Dryopteris acrostichoides marginalis spinulosa	. , 1	00	8 00	60 00
		-0	10.00	00.00
regalis Pteridium aquilinum. Mitchella repens. "Collected" clumps Monarda didyma. Podophyllura peltatum.	1	50 75	$\begin{array}{ccc} 12 & 00 \\ 6 & 00 \end{array}$	00 00
Mitchella renens "Collected" clumps	1	75 50	10.00	50 00
Monarda didyma	1	25	10 00	
Podophyllura peltatum	1	75	6 00	
I dividinatura communicatum	1	00	8 00	
Sanguinaria canadensis		75	6 00	36 00
Solidago in variety Steironema ciliatum and terrestris	1		8 00	65 00
Steironema ciliatum and terrestris		75	6 00	
Stenanthium robustum. Mountain Feath	ER 1	. 00	8 00	
PLEECE, od Size	1		10 00	
1et size	3		20 00	
Stenanthium robustum. Mountain Feath Fleece. 3d size 2d size 1st size. Thermopsis caroliniana	1		8 00	
Tradescantia montana	1		2 00	
Trillium erectum, 2d size		40	3 00	18 00
1st size		75	5 00	30 00
1st sizegrandiflorum. 2d size		30	2 00	15 00
1st size		60	3 50	25 00
stylosum. 2d size		60	4 00	
grandiflorum. 2d size. stylosum. 2d size. stylosum. 2d size. Ist size. Vaccinium macrocarpon. Clumps. Vincor minor. Strong. Viola cucullata pedata bicolor. Xerophyllum asphodeloides. Yucca flaccida. Light.		75	6 00	20 00
unaulatum. 2d size		60 75	6 00	30 00
Vaccinium magragarpan Clumps		75	5 00	40 00
Vincer miner Strong	1		8 00	40 00
Viola encullata	1		8 00	
pedata bicolor		75	14 00	
Xerophyllum asphodeloides	2			
Yucca flaccida. Light	1	L 00	6 00	40 00
I II M-E-or ve Commun II			D.	

CATALOG OF HIGHLANDS NURSERY

*Rhododendrons and Mountain Laurel

"COLLECTED" CLUMPS BY THE CARLOAD

For the area covered and effect produced, a carload of Rhododendrons or Kalmias is the cheapest landscape proposition offered. I ship an unusual grade of splendid clumps, each plant a specimen and burlaped separately. Don't accept cheap stock, thrown into cars without burlaping, and the fine hair-like rootlets inevitably exposed, You will be disappointed and find it expensive in the end. While fine results may be had from "collected" Rhododendrons, particularly if purchased from a reliable source, where greatest care is used in digging and handling, results are never so sure as when nursery-grown stock is used.

The number that may be shipped in a car varies largely, depending on sizes. The minimum weight allowed per car is 16,000 pounds.

"Mixed" cars of collected Rhododendron catawbiense, Rhododendron maximum, and Kalmias will be sent if desired.

A car may be easily loaded much heavier, with proportionate increased freight charge.

A full car travels with greater safety than one with a small load.

A full car All "clum travels with greater safety than one with a small load. ps' offered below are collected with a good ball and are bur-All "clumps" offered below are collected with a good ball and are burlaped separately.

On collected clumps burlaping is always charged extra as below.
We always burlap clumps unless expressly ordered otherwise.

PRICES OF "COLLECTED" CLUMPS OF RHODODENDRONS AND KALMIAS

Rhododendron catawbiense. 10 100					
1 to 2 ft., "collected" clumps\$12 00 \$100 (00 \$900 00				
2 to 3 ft., "collected" clumps 18 00 160 t	00 1400 00				
3 to 4 ft., "collected" clumps 30 00 260 ($00 - 2200 \ 00$				
4 to 5 ft., "collected" clumps 40 00 360 (00				
Rhododendron maximum. THE GREAT AMERICAN ROSEBA	AY.				
1 to 2 ft., "collected" clumps\$10 00 \$88 (00 \$800 00				
2 to 3 ft., "collected" clumps 14 00 120 (00 1000 00				
3 to 4 ft., "collected" clumps 22 00 200 (00 1800 00				
4 to 5 ft., "collected" clumps 36 00 320 (
5 to 6 ft., "collected" clumps 60 00 480 (00				
6 to 7 ft., "collected" clumps 76 00 600 (00				
Kalmia latifolia. Mountain Laurel.					
1 to 2 ft., "collected" clumps 8 00 76 (00 680 00				
2 to 3 ft., "collected" clumps 14 00 120 (00 1000 00				
3 to 4 ft., "collected" clumps 22 00 200 (00 1800 00				

CARLOADS IN MIXED SIZES

Rhododendron catawbiense, "collected" clumps.						
Car containing 200 clumps, 1 to 3½ ft., for\$280	00					
Car containing 300 clumps, 1 to 3½ ft., for 380	00					
Car containing 400 clumps, 1 to $3\frac{1}{2}$ ft., for 500	00					
Car containing 600 clumps, 1 to 3½ ft., for 660	00					
Rhododendron maximum, "collected" clumps.						
Car containing 300 clumps, 1½ to 4 ft., for\$320	00					
Car containing 400 clumps, 1½ to 4 ft., for	00					
Car containing 600 clumps, $1\frac{1}{2}$ to 4 ft., for 600	00					

BURLAPING

Burlaping of "collected" Rhododendrons, Kalmias or other "collected" ock is charged for as per schedule below. Also where small sizes or decidustock is charged for as per schedule below. Also where small sizes or deciduous stock is balled or burlaped by special request a charge is always made to cover cost.

Schedule of Burlaping Charges

			Each
Small sizes			\$0 10
2 to 3 ft., clumps and trees			15
3 to 4 ft., clumps and trees			20
4 to 6 ft., clumps and trees			25
6 to 8 ft., clumps and trees			30
Larger sizes are charged in propo	ortion. Where	c large eve	rgreens are
shipped on "platforms," a suitable ch.			

All communications should be plainly addressed to

HARLAN P. KELSEY, Owner SALEM, MASS. Office 209A Washington St.